Author Index

Adeola, A.O., *see* Agbede, O.O. et al
Agbede, O.O. (Makurdi, Nigeria), Adeola, A.O. and Oyeboade, O.A. (Ibadan, Nigeria)
Taungya in Nigeria: tree planting time and fertilizer effects on growth and crop yield 291
Brink, G.E., *see* Schreuder, H.T. and Brink, G.E.
Busing, R.T. and Clebsch, E.E.C. (Knoxville, TN, U.S.A.)
Application of a spruce-fir forest canopy gap model 151
Chidumayo, E.N. (Lusaka, Zambia)
A survey of wood stocks for charcoal production in the miombo woodlands of Zambia 105
Clebsch, E.E.C., *see* Busing, R.T. and Clebsch, E.E.C.
Collazo, A., *see* Pough, F.H. et al.
Conde, L.F., *see* Swindel, B.F. et al.
Denne, M.P. (Bangor, Great Britain)
Book review of *Pasture Woodlands in Lowland Britain*, by P.T. Harding and F. Rose 187
Fagg, P.C. (Melbourne, Vic., Australia)
Establishment and early growth of indigenous eucalypts sown on forest sites infested with *Phytophthora cinnamomi* in East Gippsland, Australia 53
Farrell, P.W., *see* Hopmans, P. et al.
Flinn, D.W., *see* Hopmans, P. et al.
Gumpal, E.C., *see* Mendoza, G.A. and Gumpal, E.C.
Hilgen, P., *see* Koop, H. and Hilgen, P.
Hopmans, P., Flinn, D.W. and Farrell, P.W. (Melbourne, Vic., Australia)
Nutrient dynamics of forested catchments in southeastern Australia and changes in water quality and nutrient exports following clearing 209
Hsia, Y.-J. (Taipei, Taiwan)
Changes in storm hydrographs after clearcutting at a small hardwood forested watershed in central Taiwan 117
Johansson, T. (Garpenberg, Sweden)
Irradiance in thinned Norway spruce (*Picea abies*) stands and the possibilities to prevent suckers of broadleaved trees 307
Kojima, S., *see* Nakata, M. and Kojima, S.
Koop, H. and Hilgen P. (Leersum, The Netherlands)
Forest dynamics and regeneration mosaic shifts in unexploited beech (*Fagus sylvatica*) stands at Fontainebleau (France) 135
Kutiel, P. and Naveh, Z. (Haifa, Israel)
Soil properties beneath *Pinus halepensis* and *Quercus calliprinos* trees on burned and unburned mixed forest on Mt. Carmel, Israel 11
Lockaby, B.G., *see* Nelson, L.E. et al.
Mallik, A.U. (St. John's, Nfld., Canada)
Allelophatic potential of *Kalmia angustifolia* to black spruce (*Picea mariana*) 43
Manders, P.T. (Stellenbosch, South Africa)
A transition matrix model of the population dynamics of the Clanwilliam cedar (*Widdringtonia cedarbergensis*) in natural stands subject to fire 171
Mendoza, G.A. (Urbana, IL, U.S.A.) and Gumpal, E.C. (Isabela, The Philippines)
Growth projection of a selectively cut-over forest based on residual inventory 253
Myers, N. (Oxford, Great Britain)
Book review of *Land Clearing and Development in the Tropics*, by R. Lan, P.A. Sanchez and R.W. Cummings, Jr. (Editors) and Book review of *Traditional Agriculture in Southeast Asia*, by G.G. Marten (Editor) 321

Nakata, M. (Tokyo, Japan) and Kojima, S. (Toyama, Japan)
Effects of serpentine substrate on vegetation and soil development with special reference to *Picea glehnii* forest in Teshio district, Hokkaido, Japan 265
Naveh, Z., *see* Kutiel, P. and Naveh, Z.
Nelson, L.E., Switzer, G.L. (Mississippi State, MS, U.S.A.) and Lockaby, B.G. (Ruston, LA, U.S.A.)
Nutrition of *Populus deltoides* plantations during maximum production 25
Oyeboade, O.A., *see* Agbede, O.O. et al.
Pough, F.H., Smith, E.M., Rhodes, D.H. and Collazo, A. (Ithaca, NY, U.S.A.)
The abundance of salamanders in forest stands with different histories of disturbance 1
Pukakci, P. (Kórnik, Poland)
Deep supercooling of shoot and bud tissues of *Picea abies* 97
Raitio, H. (Parkano, Finland)
Site elevation differences in frost damage to Scots pine (*Pinus sylvestris*) 299
Rhodes, D.H., *see* Pough, F.H. et al.
Ruiter, J.H. (Mount Gambier, S.A., Australia)
Growth, crop conductance and prediction of stem volume increment of irrigated and non-irrigated young radiata pine in non-weighing lysimeters 79
Schreuder, H.T. and Brink, G.E. (Fort Collins, CO, U.S.A.)
Volume estimation by diameter class using bootstrap variance estimates 189
Smith, E.M., *see* Pough, F.H. et al.
Smith, J.E., *see* Swindel, B.F. et al.
Sukardjo, S. (Jakarta Utara, Indonesia)
Natural regeneration status of commercial mangrove species (*Rhizophora apiculata* and *Bruguiera gymnorrhiza)* in the mangrove forest of Tanjung Bungin, Banyuasin District, South Sumatra 233
Swindel, B.F., Conde, L.F. and Smith, J.E. (Gainesville, FL, U.S.A.)
Index-free diversity orderings: concept, measurement, and observed response to clearcutting and site-preparation 195
Switzer, G.L., *see* Nelson, L.E. et al.

Subject Index

Abies spp.
Spruce-fir forest canopy model 151
Agroforestry
Taungya: planting time and fertilizer effects on growth and yield 291
Tropical forest agriculture (book review) 321
Alfalfa, *see Medicago* spp.
Allelopathy
Kalmia, effects of on *Picea mariana* 43
Aridity, *see* water regime, effects of
Balsam woolly aphid, *see* Pests, weeds and diseases
Barley, *see Hordeum* spp.
Biogeochemical cycle, *see* Nutrient dynamics
Bruguiera gymnorrhiza
Natural regeneration status of mangrove in Sumatra 233
Burning, *see* Management practices, effects of
Cedar, Clanwilliam, see *Widdringtonia cedarbergensis*
Charcoal production
Survey of wood stocks for, in Zambia 105
Clearcutting, *see* Management practices, effects of
Differential thermal analysis
Supercooling of *Picea abies* 97
Disturbance, *see* Management practices, effects of
Diversity index
Index-free diversity orderings: concept, measurement, and observed response to clearcutting and site-preparation 195
Eucalyptus spp.
Establishment and growth on sites infested with *Phytophthora cinnamomi* 53
Fagus sylvatica
Dynamics and regeneration mosaic shifts in unexploited stands 135
Faunal composition
Salamanders, abundance in stands with histories of disturbance 1
Fir, *see Abies* spp.
Fire
Transition matrix model of population dynamics of *Widdringtonia* in stands subject to fire 171
see also Management practices, effects of
Forest dynamics
Regeneration mosaic shifts in unexploited *Fagus sylvatica* stands 135
Frost, sensitivity to
Differences in frost damage to *Pinus sylvestris* with elevation 299
Supercooling of *Picea abies* 97
Gmelina arborea
Taungya: planting time and fertilizer effects on growth and yield 291
Hordeum sativum
Growth beneath *Pinus halepensis* and *Quercus calliprinos* in burned and unburned forest 11
Irradiance
Prevention of suckers of broadleaved trees in thinned *Picea abies* stands 307

Irrigation, *see* Water regime, effects of
Kalmia angustifolia
Allelopathy to *Picea mariana* 43
Lucerne, *see Medicago* spp.
Management practices, effects of
Abundance of salamanders in stands with histories of disturbance 1
Growth projection of a selective cut based on residual inventory 253
Index-free diversity orderings: concept, measurement, and observed response to clearcutting and site-preparation 195
Irradiance in thinned *Picea abies* stands to prevent suckers of broadleaved trees 307
Nutrient dynamics of forested catchments and changes in water quality and nutrient exports following clearing 209
Soil properties beneath *Pinus halepensis* and *Quercus calliprinos* in burned and unburned forest 11
Storm hydrographs after clearcutting forested watershed 117
Taungya: planting time and fertilizer effects on growth and yield 291
Transition matrix model of population dynamics of *Widdringtonia* in stands subject to fire 171
Mangrove, *see Rhizophora* spp.
see also Bruguiera spp.
Medicago sativa
Soil conditions beneath *Pinus halepensis* and *Quercus calliprinos* in burned and unburned forest 11
Miombo woodlands
A survey of wood stocks for charcoal in Zambia 105
Modelling
Growth, conductance and prediction of volume of radiata pine in lysimeters 79
Growth projection of a selective cut based on residual inventory 253
Index-free diversity orderings: concept, measurement, and observed response to clearcutting and site-preparation 195
Spruce-fir forest canopy gap model 151
Transition matrix model of population dynamics of *Widdringtonia* in stands subject to fire 171
Volume estimation by diameter class using bootstrap variance estimates 189
Nutrient dynamics
Changes in water quality and nutrient exports following clearing of forested catchments . 209
Nutrition of *Populus* plantations during maximum production 25
Pasture woodlands
in lowland Britain (book review) 187
Pests, weeds and diseases
Allelopathy of *Kalmia* to *Picea mariana* 43
Eucalyptus establishment and growth on sites with *Phytophthora cinnamomi* 53
Forest dynamics and regeneration mosaic shifts in unexploited *Fagus* stands 135
Natural regeneration status of mangrove in Sumatra 233
Spruce-fir forest canopy model 151
Picea abies
Irradiance in thinned stands to prevent suckers of broadleaved trees 307
Supercooling of shoot and bud tissues 97
Picea glehnii
Serpentine substrate, effects of on vegetation and soil development in Japan 265

Picea mariana
Allelopathic potential of *Kalmia angustifolia* 43
Picea spp.
Spruce-fir forest canopy model 151
Pine, radiata, *see Pinus radiata*
Pine, Scots, *see Pinus sylvestris*
Pine, slash, *see Pinus elliotti*
Pinus elliotti
Index-free diversity orderings: concept, measurement, and observed response to clearcutting and site-preparation 195
Pinus halepensis
Soil conditions beneath *P. halepensis* and *Quercus calliprinos* on burned and unburned forest 11
Pinus radiata
Growth, conductance and prediction of volume in lysimeters 79
Pinus sylvestris
Differences in frost damage with elevation 299
Planting time, *see* Management practices, effects of
Population dynamics
Transition matrix model of *Widdringtonia* in stands subject to fire 171
Populus deltoides
Nutrition in plantations during maximum production 25
Prediction,growth and yield
Growth, conductance and prediction of volume of radiata pine in lysimeters 79
Volume estimates by diameter class using bootstrap variance estimates 189
Pteridium, see Pests, weeds and diseases
Pythium see Pests, weeds and diseases
Quercus calliprinos
Soil conditions beneath *Pinus halepensis* and *Q. calliprinos* in burned and unburned forest 11
Regeneration
Dynamics and regeneration mosaic shifts in unexploited *Fagus sylvatica* stands 135
Natural regeneration status of mangrove in Sumatra 233
Rhizophora apiculata
Natural regeneration status of mangrove in Sumatra 233
Salamanders, *see* Faunal composition
Site elevation
Differences in frost damage to *Pinus sylvestris* 299
Site preparation, *see* Management practices, effects of
Soil conditions
Beneath *Pinus halepensis* and *Quercus calliprinos* on burned and unburned forest 11
Differences in frost damage to *Pinus sylvestris* 299
Serpentine substrate, effects of on vegetation and soil development in Japan 265
Taungya: planting time and fertilizer effects on growth and crop yield 291
Spruce, Norway, *see Picea abies*
Spruce, *see Picea* spp.
Storm hydrographs
After clearcutting forested watershed 117
Substrate, effects of, *see* Soil conditions
Supercooling, *see* Frost, sensitivity to
Taungya
Planting time and fertilizer effects on growth and yield 291

Thinning, *see* Management practices, effects of
Tropical forest agriculture, *see* Agroforestry
Volume estimation, *see* Prediction, growth and yield
Water regime, effects of
Growth, conductance and prediction of volume radiata pine in lysimeters 79
Nutrient dynamics of forested catchments and changes in water quality and nutrient exports following clearing 209
Survey of wood stocks for charcoal in Zambia 105
Widdringtonia cedarbergensis
Transition matrix model of population dynamics in stands subject to fire 171